GENERAL INDEX

A

Abscission, of premature fruit in Strophanthus intermedius 194
Acer rubrum and A. rubrum var. trilobum, leaf-blade tissue organization 88
Age of cotton embryos, influence on response in vitro to gibberellic acid and indoleacetic acid 254
Agroelymus, cytology and breeding behavior of natural hybrid 79
Agropyron, natural hybridization with Elymus 79
Amino acids, free, in potato, sugar-beet, and bean tops affected by 2,4-D and maleic hydrazide 130; requirements of biochemical mutants of Erwinia aroideae 128
Anatomy, leaf histogenesis 237; of blade tissue in leaves of Carolina shrub-bog and Appalachian species 88, of calcium-deficient tomatoes 18, of etiolated seedling mesocotyl in Zea 160, of roots of apple seedlings 191, of tomato, turnip, and cotton affected by boron nutrition 53; *see also* Embryology
Apple, anatomy of seedling roots 191
Audia, William V., Effects of gibberellic acid on growth and development of plants of various genera and species 106
Auxin; *see* Growth-regulators *and* Indoleacetic Acid

B

Bean, free amino acids and proteins in tops affected by 2,4-D and maleic hydrazide 130; Pinto, bush, and pole, photoreversible control of elongation 199; Pinto, effect of gibberellic acid 106
Bell, Gordon R., On the photochemical degradation of 2,4-dichlorophenoxyacetic acid and structurally related compounds in the presence and absence of riboflavin 133
Beta; *see* Beet
Bogorad, Lawrence, Some effects of iron deficiency on flowering of Xanthium 174
Boron nutrition, effect on tomato, turnip, and cotton 43, 53
Borthwick, H. A., Photoreversible control of elongation of Pinto beans and other plants under normal conditions of growth 199
Bothriochloa ischaemum, apomixis 246
Brown, W. V., Apomixis in the Gramineae, tribe Andropogoneae: Themeda triandra and Bothriochloa ischaemum 246
Buell, Murray F., Natural revegetation of a plowed field in the New Jersey Pine Barrens 261

C

Calcium, responses of tomato to deficiency 18
Carbohydrate metabolism, of cotton embryos grown in vitro with gibberellic acid and idoleacetic acid 254, of tomato, turnip, and cotton affected by boron nutrition 43; sucrose supply relative to photoinduction and iron deficiency affecting flowering of Xanthium 174
Chamaedaphne calyculata var. angustifolia, leaf-blade tissue organization 88
Chiasma frequency, in Agroelymus 79, in Collinsia 71, 73
Chlorophenoxy compounds, effects, of 2,4-D on free amino acids and proteins in potato, sugar-beet, and bean tops 130; photochemical degradation of 2,4-D and related compounds in presence and absence of riboflavin 133
Chromosomes, colchicine-induced reciprocal translocations in Collinsia heterophylla 139; numbers, in Collinsia 71, 73, in interspecific hybrids of Saccharum and allied genera 146, in Themeda triandra and Bothriochloa ischaemum 246
Clethra alnifolia and C. acuminata, leaf-blade tissue organization 88
Cocklebur; *see* Xanthium
Colchicine, inducing reciprocal translocations in Collinsia heterophylla 139
Colletotrichum gloeosporioides, pathogenic to fruit of Strophanthus intermedius 194
Collinsia, chromosome number and chiasma frequency 71, 73; cytogenetics of colchicine-induced reciprocal translocations in C. heterophylla 139; description of contrasting phenotypes in C. heterophylla 208; interspecific hybrids 73
Corn; *see* Zea
Cortisone, derivative of strophanthin glucoside (sarmentogenin), obtained from Strophanthus intermedius 194
Cotton, embryo culture in vitro, effects of gibberellic acid and indoleacetic acid 254; responses to boron nutrition 43, 53
Cotyledons, form compared in phenotypes of Collinsia heterophylla 208
Cyrilla racemiflora, leaf-blade tissue organization 88
Cytogenetics, of Collinsia 73, 139
Cytology, chromosome numbers in interspecific hybrids of Saccharum and allied genera 146; nuclear migrations in aecia of Scopella gentilis 37; of Agroelymus hybrid 79, of Collinsia 71, 73, 139; *see also* Chromosomes *and* Embryology
Cytotaxonomy, of Collinsia 71
Cyperus filiculmis var. macilentus, prominent in revegetation of plowed field in New Jersey Pine Barrens 261

D

2,4-D; *see* Chlorophenoxy compounds *and* Herbicides
Daylength; *see* Photoperiod
Daylily; *see* Hemerocallis
Desmanthus virgatus, embryology 180
Diplodia theobromae, pathogenic to fruit of Strophanthus intermedius 194
Dnyansagar, V. K., Embryological studies in the Leguminosae. V. Prosopis spicigera and Desmanthus virgatus 180
Dormancy and seed germination in Hemerocallis 223
Downs, R. J., Photoreversible control of elongation of Pinto beans and other plants under normal conditions of growth 199
Dure, Leon S., The influence of gibberellic acid and indoleacetic acid on cotton embryos cultured in vitro 254

E

Elongation, internode, photoreversible control in bean, morning-glory, and sunflower 199; of stems, affected by gibberellic acid 106
Elymus, natural hybrid with Agropyron 79
Embryo culture, of cotton embryos affected by gibberellic acid and indoleacetic acid 254
Embryology, of Prosopis spicigera and Desmanthus virgatus 180, of Setaria italica 112, of Themeda triandra and Bothriochloa ischaemum 246
Emery, W. H. P., Apomixis in the Gramineae, tribe Andropogoneae: Themeda triandra and Bothriochloa ischaemum 246
Endosperm, barrier to gaseous diffusion delays germination in seeds of Hemerocallis 223; development, in Prosopis spicigera and Desmanthus virgatus 180, in Setaria italica 112
England, Celia McElroy, A comparison of the soil fungi of a tall-grass prairie and of an abandoned field in central Oklahoma 186
Erianthus, chromosome numbers in hybrids with Saccharum 146
Erwinia aroideae, biochemical mutants, effect when inoculated on grape tissue cultures 128
Etiolation, ontogeny of etiolated seedling mesocotyl in Zea 160

F

Floral characters, in phenotypes of Collinsia heterophylla 208
Floral induction and initiation, in soybean 13, in Xanthium 13, 174
Floral morphology, in Strophanthus intermedius 194
Flowering, in Xanthium affected by iron deficiency 174
Fothergilla gardeni, leaf-blade tissue organization 88
Frazier, J. C., Translocation and distribution of radioactive phosphorus in wheat 122
Fruit yield, of Strophanthus intermedius related to compatibility, pollination, and disease 194
Fults, Jess L., Effects of 2,4-dichlorophenoxyacetic acid and maleic hydrazide on free amino acids and proteins in potato, sugar-beet, and bean tops 130
Fungi, Diplodia theobromae and Colletotrichum gloeosporioides, pathogenic for fruit of Strophanthus intermedius 194; pycnia, flexuous hyphae, and nuclear migration in aecia of Scopella gentilis 37; soil, compared from tall-grass prairie and abandoned field in central Oklahoma 186

G

Garber, E. D., The genus Collinsia. I. Chromosome number and chiasma frequency of species in the two sections 71; The genus Collinsia. II. Interspecific hybrids involving C. heterophylla, C. concolor, and C. sparsiflora 73; The response of grape tissue cultures to inoculation with biochemical mutants of Erwinia aroideae 128
Genes, in phenotypes of Collinsia heterophylla 208
Genetics; *see* Cytogenetics
Germination and dormancy of Hemerocallis seeds 223
Gibberellic acid, effects, on growth and development of various genera and species 106, on growth in vitro of cotton embryos 254, on internode elongation in bean, morning-glory, and sunflower 199
Glycine; *see* Soybean
Goldman, M., The response of grape tissue cultures to inoculation with biochemical mutants of Erwinia aroideae 128
Gordonia lasianthus, leaf-blade tissue organization 88
Goršič, J., The genus Collinsia. II. Interspecific hybrids involving C. heterophylla, C. concolor, and C. sparsiflora 73; The genus Collinsia. V. Genetic studies in C. heterophylla 208
Gossypium; *see* Cotton
Grape tissue cultures, response to inoculation with biochemical mutants of Erwinia aroideae 128
Grasses, apomixis in Themeda triandra and Bothriochloa ischaemum 246; chromosome numbers in Saccharum and allied genera 146; cytology and breeding behavior of a natural Agroelymus hybrid 79; embryology and floral morphology of Setaria italica 112; ontogeny of mesocotyl in Zea 160; species prominent in revegetation of plowed field in New Jersey Pine Barrens 261
Grassland, comparison of soil fungi in tall-grass prairie and abandoned field in central Oklahoma 186
Griesbach, Robert A., On dormancy and seed germination in Hemerocallis, 223
Growth, effects, of boron nutrition on tomato, turnip, and cotton 43, 53, of calcium deficiency on tomatoes 18, of gibberellic acid and indoleacetic acid on cotton embryos in vitro 254, of gibberellic acid on various genera and species 106, of maleic hydrazide on proximal dominance and sprout inhibition in sweet potatoes 265, of photoreversible pigment, temperature, and gibberellic acid on bean, morning-glory, and sunflower 199; growth, leaf, relation of histogenesis and shape 237; of caryopsis of Setaria italica 112, of etiolated seedling mesocotyl in Zea 160, of foliage leaf-blade tissue compared in Carolina shrub-bog and Appalachian mountain species 88
Growth-regulators, effects, of 2,4-D and maleic hydrazide on free amino acids and proteins in potato, sugar-beet, and bean tops 130, of gibberellic acid and indoleacetic acid on growth in vitro of cotton embryos 254, of gibberellic acid on growth and development of various genera and species 106, of gibberellic acid on internode elongation in bean, morning-glory, and sunflower 199, of indoleacetic acid on high-intensity-light reaction in Xanthium and soybean 13, of maleic hydrazide on proximal dominance and sprout inhibition in sweet potatoes 265; photochemical degradation of 2,4-D and related compounds 133
Guard, Arthur T., On the anatomy of the roots of apple seedlings 191

H

Hamner, K. C., A relationship between applications of indoleacetic acid and the high-intensity-light reaction of photoperiodism 13
Hein, R. E., Translocation and distribution of radioactive phosphorus in wheat 122
Helianthus; *see* Sunflower
Hemerocallis, dormancy and seed germination 223
Hendricks, S. B., Photoreversible control of elongation of Pinto beans and other plants under normal conditions of growth 199
Herbicides, effects, of 2,4-D and maleic hydrazide on free amino acids and proteins in potato, sugar-beet, and bean tops 130, of maleic hydrazide on proximal dominance and sprout inhibition in sweet potatoes 265; photochemical degradation of 2,4-D and related compounds 133; *see also* Growth-regulators
Histogenesis, of leaves 237
Histology; *see* Anatomy
Hybridization, interspecific, in Collinsia 73; natural, of Agropyron and Elymus 79
Hybrids, interspecific, chromosome numbers in Saccharum and allied genera 146
Hyphae, flexuous, in aecia of Scopella gentilis 37

I

Ilex glabra, I. coriacea, I. laevigata, and I. montana, leaf-blade tissue organization 88
Imbibition, of Hemerocallis seeds affected by temperature 223
Imperata, chromosome numbers in hybrids with Saccharum 146
Indoleacetic acid, effects, on growth in vitro of cotton embryos 254, with high-intensity light on flowering of Xanthium and soybean 13
Inflorescence, morphology, in Prosopis spicigera and Desmanthus virgatus 180, in Setaria italica 112
Ipomoea; *see* Morning-glory *and* Sweet potato
Iron deficiency, effects, on flowering of Xanthium 174
Irradiation, red and far-red, effect on internode elongation of bean, morning-glory, and sunflower 199; ultraviolet, effect on photochemical degradation of 2,4-D and related compounds in presence and absence of riboflavin 133; *see also* Light *and* Photoperiod
Isotopes, translocation and distribution of radioactive phosphorus in wheat 122

J

Jensen, William A., The influence of gibberellic acid and indoleacetic acid on cotton embryos cultured in vitro 254

K

Kalmia angustifolia var. caroliniana, leaf-blade tissue organization 88
Kalra, Gajindar Singh, Responses of the tomato plant to calcium deficiency 18

L

Leaf characters, in phenotypes of Collinsia heterophylla 208
Leaves, anatomy of blade tissue of Carolina shrub-bog and Appalachian species 88; relation between histogenesis and external shape 237
Leguminosae, embryological studies of Prosopis spicigera and Desmanthus virgatus 180
Leucothoe recurva, leaf-blade tissue organization 88
Light, effect of photoreversible pigment on internode elongation of bean, morning-glory, and sunflower 199; high-intensity, effect with indoleacetic acid on floral initiation in Xanthium and soybean; *see also* Photoperiod
Lindera benzoin, leaf-blade tissue organization 88
Lycopersicon; *see* Tomato
Lyonia lucida, leaf-blade tissue organization 88

M

McCormick, Jack, Natural revegetation of a plowed field in the New Jersey Pine Barrens 261
McFarland, R. H., Translocation and distribution of radioactive phosphorus in wheat 122
McIlrath, Wayne J., Responses of tomato, turnip, and cotton to variations in boron nutrition. I. Physiological responses 43; II. Anatomical responses 53; Some effects of iron deficiency on flowering of Xanthium 174
Magnolia virginiana and M. acuminata, leaf-blade tissue organization 88
Maleic hydrazide, effects, on free amino acids and proteins in potato, sugar-beet, and bean tops 130, on proximal dominance and sprout inhibition of sweet potatoes 265
Malus pumila, anatomy of seedling roots 191
Marth, Paul C., Effects of gibberellic acid on growth and development of plants of various genera and species 106
Megagametophyte, of Prosopis spicigera and Desmanthus virgatus 180, of Setaria italica 112, of Themeda triandra and Bothriochloa ischaemum 246
Megasporogenesis, in Agroelymus 79, in Prosopis spicigera and Desmanthus virgatus 180, in Themeda triandra and Bothriochloa ischaemum 246
Meiosis, in Agroelymus 79, in Collinsia 71, 73, 139, in Themeda triandra and Bothriochloa ischaemum 246
Mesocotyl, etiolated, ontogeny in Zea 160
Metabolism, effect of 2,4-D and maleic hydrazide on free amino acids and proteins in potato, sugar-beet, and bean tops 130; of tomato, turnip, and cotton affected by boron 43; salt-activated in roots of garden pea 1
Microsporogenesis, in Agroelymus 79, in Prosopis spicigera and Desmanthus virgatus 180, in Setaria italica 112
Millet, Indian, morphology of spikelet and embryology in Setaria italica 112
Miscanthidium, chromosome numbers in hybrids with Saccharum 146
Miscanthus, chromosome numbers in hybrids with Saccharum 146
Mitchell, John W., Effects of gibberellic acid on growth and development of plants of various genera and species 106
Morning-glory, photoreversible control of elongation 199
Morphology, embryology of Prosopis spicigera and Desmanthus virgatus 180, of Setaria italica 112, of Themeda triandra and Bothriochloa ischaemum 246; floral, of Strophanthus intermedius 194; leaf, relation to histogenesis 237; of aecia of Scopella gentilis, 37, of calcium-deficient tomatoes 18, of cotton embryos grown in vitro with gibberellic acid and indoleacetic acid 254, of phenotypes of Collinsia heterophylla 208, of spikelet and caryopsis of Setaria italica 112, of various genera and species affected by gibberellic acid 106; *see also* Anatomy *and* Embryology
Mutants, biochemical, of Erwinia aroideae, differing in amino acid requirements 128

N

Nanda, K. K., A relationship between applications of indoleacetic acid and the high-intensity-light reaction of photoperiodism 13
Narayanaswami, S., Structure and development of the caryopsis in some Indian millets. VI. Setaria italica 112
Narenga, chromosome numbers in hybrids with Saccharum 146
New Jersey Pine Barrens, natural revegetation of a plowed field 261
Nielsen, Etlar L., Cytology and breeding behavior of a natural Agroelymus hybrid 79
Nieman, Richard H., Salt-activated respiration in excised roots of the garden pea 1
Nitrogen metabolism, of cotton embryos grown in vitro with gibberellic acid and indoleacetic acid 254
Nutrition, amino acid requirements of biochemical mutants of Erwinia aroideae 128; boron, responses of tomato, turnip, and cotton 43, 53; calcium deficiency in tomato 18; effect of 2,4-D and maleic hydrazide on free amino acids and proteins in potato, sugar-beet, and bean tops 130; iron, flowering in Xanthium affected by deficiency 174
Nyssa sylvatica and N. sylvatica var. biflora, leaf-blade tissue organization 88

O

Oklahoma, soil fungi compared in tall-grass prairie and abandoned field 186
Ontogeny, of etiolated seedling mesocotyl in Zea 160
Oxidase system, in roots of garden pea activated by salts 1

P

Palser, Barbara F., Responses of tomato, turnip, and cotton to variations in boron nutrition. I. Physiological responses 43; II. Anatomical responses 53
Panicum virgatum and P. capillare, prominent in revegetation of plowed field in New Jersey Pine Barrens 261
Paterson, D. R., Some effects of preharvest foliage sprays of maleic hydrazide on proximal dominance and sprout inhibition of sweet potatoes 265
Pathogenicity, of biochemical mutants of Erwinia aroideae tested on grape tissue cultures 128
Payak, M. M., A study of the pycnia, flexuous hyphae, and nuclear migrations in the aecia of Scopella gentilis 37
Payne, Merle G., Effects of 2,4-dichlorophenoxyacetic acid and maleic hydrazide on free amino acids and proteins in potato, sugar-beet, and bean tops 130
Pea, garden, salt-activated respiration in roots 1
Persea borbonia forma pubescens, leaf-blade tissue organization 88
Phaseolus; *see* Bean
Phenotypes, genetic study of Collinsia heterophylla 208
Philpott, Jane, Blade tissue organization of foliage leaves of some Carolina shrub-bog species as compared with their Appalachian mountain affinities 88
Phosphorus, radioactive, translocation and distribution in wheat 122
Photochemical degradation of 2,4-D and related compounds 133
Photocontrol, reversible, of internode elongation in bean, moning-glory, and sunflower 199
Photoperiod, effects, with iron deficiency, on flowering in Xanthium 174
Photoperiodism, relationship between indoleacetic acid and high-intensity-light reaction 13
Pigment, photoreversible, effect on elongation in bean, morning-glory, and sunflower 199

Pine Barrens, New Jersey, revegetation of plowed field 261
Pisum; *see* Pea
Pollen fertility or sterility, in Agroelymus 79, in Collinsia 73, 139, in Setaria italica 112, in Themeda triandra and Bothriochloa ischaemum 246
Pollination, relation to fruit yield of Strophanthus intermedius 194
Populus gileadensis, leaf-blade tissue organization 88
Potato, free amino acids and protein in tops affected by 2,4-D and maleic hydrazide 130
Prairie, tall-grass, central Oklahoma, soil fungi compared with those of abandoned field 186
Preparation of copy for the Botanical Gazette 137
Price, Sam, Cytological studies in Saccharum and allied genera. III. Chromosome numbers in interspecific hybrids 146
Prosopis spicigera, embryology 180
Protein, in potato, sugar-beet, and bean tops affected by 2,4-D and maleic hydrazide 130
Pyrus arbutifolia and P. melanocarpa, leaf-blade tissue organization 88

R

Radioactive phosphorus, translocation and distribution in wheat 122
Respiration, salt-activated, in roots of garden pea 1
Revegetation, natural, of plowed field in New Jersey Pine Barrens 261
Riboflavin, effect on photochemical degradation of 2,4-D and related compounds 133
Rice, Elroy L., A comparison of the soil fungi of a tall-grass prairie and of an abandoned field in central Oklahoma 186
Riedhart, Joseph M., On the anatomy of the roots of apple seedlings 191
Roots, salt-activated respiration in garden pea 1; seedling apple, anatomy 191
Roth, Ingrid, Relation between histogenesis of the leaf and its external shape 237
Rust, pycnia, flexuous hyphae, and nuclear migrations in aecia of Scopella gentilis 37

S

Saccharum, chromosome numbers in interspecific and intergeneric hybrids 146
Salt activation of respiration in roots of garden pea 1
Schaff, J. F., Translocation and distribution of radioactive phosphorus in wheat 122
Sclerostachya, chromosome numbers in hybrids with Saccharum 146
Scopella gentilis, pycnia, flexuous hyphae, and nuclear migration in aecia 37
Sedges, species prominent in revegetation of plowed field in New Jersey Pine Barrens 261
Seed development, in Prosopis spicigera and Desmanthus virgatus 180, in Setaria italica 112
Seed dormancy, in Hemerocallis 223
Seed-set, in Agroelymus 79, in Collinsia 73, 139
Setaria italica, morphology of spikelet and embryology 112
Smilax laurifolia and S. rotundifolia, leaf-blade tissue organization 88
Smith, Harriet J., Some effects of iron deficiency on flowering of Xanthium 174
Soil fungi, compared from tall-grass prairie and abandoned field in central Oklahoma 186
Solanum; *see* Potato
Sorghum, chromosome number in hybrids with Saccharum 146
Soriano, J. D., The genus Collinsia. IV. The cytogenetics of colchicine-induced reciprocal translocations in C. heterophylla 139
Soybean, flowering affected by high-intensity light and indoleacetic acid 13
Spectrum differences, effect of red and far-red light on photoreversible control of internode elongation 199
Spencer, J. L., Compatibility, pollination, and disease in relation to fruit yields of Strophanthus intermedius in Puerto Rico 194
Spikelet morphology, of Setaria italica 112
Sprout production, in sweet potato affected by maleic hydrazide 265
Stratification, effect on germination of Hemerocallis seeds 223
Strophanthus intermedius, compatibility, pollination, and disease in relation to fruit yields 194
Succession, revegetation of plowed field in New Jersey Pine Barrens 261
Sugar beet, free amino acids and proteins in tops affected by 2,4-D and maleic hydrazide 130
Sugar cane; *see* Saccharum
Sunflower, photoreversible control of elongation 199
Sweet potato, proximal dominance and sprout inhibition affected by maleic hydrazide 265

T

Temperature, effects, on imbibition and germination of Hemerocallis seeds 223, on internode elongation in bean, morning-glory, and sunflower 199
Themeda triandra, apomixis 246
Tissue culture, response of grape tissue to inoculation with biochemical mutants of Erwinia aroideae 128
Tomato, responses, to boron nutrition 43, 53, to calcium deficiency 18
Translocation, of carbohydrates in tomato, turnip, and cotton affected by boron 43, of radioactive phosphorus in wheat 122
Translocations, reciprocal, colchicine-induced in Collinsia heterophylla 139
Triticum; *see* Wheat
Tucker, Shirley C., Ontogeny of the etiolated seedling mesocotyl of Zea mays 160
Turnip, responses to boron nutrition 43, 53

U

Ultraviolet, irradiation, effect on photochemical degradation of 2,4-D and related compounds in presence and absence of riboflavin 133

V

Venation, compared, in blade tissue of Carolina shrub-bog and Appalachian species 88; in leaves of phenotypes of Collinsia heterophylla 208
Vitis; *see* Grape
Voth, Paul D., On dormancy and seed germination in Hemerocallis 223

W

Wheat, translocation and distribution of radioactive phosphorus 122
Winters, H. F., Compatibility, pollination, and disease in relation to fruit yields of Strophanthus intermedius in Puerto Rico 194

X

Xanthium, flowering, affected by high-intensity light and indoleacetic acid 13, by iron deficiency 174

Z

Zea, chromosome numbers in hybrids with Saccharum 146; ontogeny of etiolated seedling mesocotyl 160
Zenobia pulverulenta, leaf-blade tissue organization 88